





**MARZO****2012****RINCON DE SOTO**

	CAUDAL m3/d	ENTRADA									SALIDA							
		pH	COND20 μS/cm	MES mg/L	MES-VOL %	DQO_D mg/L	DBO5 mg/L	N_T mg/L	NH4 mg/L	P_TOT mg/L	pH	COND20 μS/cm	MES mg/L	DQO_D mg/L	DBO5 mg/L	N_T mg/L	NH4 mg/L	P_TOT mg/L
1	4403																	
2	3836																	
3	3895																	
4	3161																	
5	2841																	
6	3272	7,4	1714	534		628					7,3	1421	13,0	21,3				
7	3281																	
8	3301																	
9	3586																	
10	3068																	
11	3443																	
12	2433																	
13	3336	7,4	1310	518							7,3	1240	15,0	18,1				
14	3442																	
15	3233																	
16	3305																	
17	3671																	
18	4485																	
19	2325																	
20	3112	7,3	1310	128		249	175	23,8	7,5	2,8	7,2	1210	16,0	17,6	12,0	10,8	1,0	0,5
21	3598																	
22	5083																	
23	3064																	
24	3915																	
25	3089																	
26	3168																	
27	5436																	
28	1408																	
29	2978																	
30	3081																	
31	3578	7,4	1320	380		580					7,2	1240	11,0	17,4				



















