



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **ES0000064**
SITENAME **Peñas de Iregua, Leza y Jubera**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

[Back to top](#)

| | |
|----------------------|-----------------------------------|
| 1.1 Type C | 1.2 Site code ES0000064 |
|----------------------|-----------------------------------|

1.3 Site name

| |
|--------------------------------|
| Peñas de Iregua, Leza y Jubera |
|--------------------------------|

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1989-10 | 1.5 Update date 2012-06 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|---------------------------|---|
| Name/Organisation: | Gobierno de La Rioja. Consejería de Agricultura, Ganadería y Medio Ambiente Dirección General de Medio Natural |
| Address: | C/ Pradoviejo 62-bis. 26071 Logroño (La Rioja/España) |
| Email: | ignacio.esquisabel@larioja.org |

1.7 Site indication and designation / classification dates

| | |
|---|---------|
| Date site classified as SPA: | 1990-01 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 1999-04 |
| Date site confirmed as SCI: | 2006-07 |
| Date site designated as SAC: | No data |
| National legal reference of SAC designation: | No data |

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

-2.3778

Latitude

42.3153

2.2 Area [ha]:

8410.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

| | |
|------|----------|
| ES23 | La Rioja |
|------|----------|

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 1520B | X | | 12.68 | | G | C | C | C | C |
| 4090B | | | 183.96 | | G | C | C | C | C |
| 5210B | | | 0.96 | | G | C | C | C | C |
| 6170B | | | 27.56 | | G | C | C | C | C |
| 6210B | | | 49.01 | | G | B | C | B | B |
| 6220B | X | | 46.98 | | G | C | C | C | C |
| 8130B | | | 1.45 | | G | B | C | B | B |
| 8210B | | | 8.3 | | G | B | C | B | B |
| 9150B | | | 216.58 | | G | B | C | B | B |
| 9230B | | | 211.26 | | G | B | C | B | B |
| 9240B | | | 614.23 | | G | A | C | A | A |
| 92A0B | | | 71.7 | | G | C | C | C | C |
| 9340B | | | 547.44 | | G | B | C | B | B |

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | Site assessment | | | | |
|---------|------|---|---|----|------------------------|------|-----|------|------|-----------------|---------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| F | 6155 | Achondrostroma arcasii | | | p | | | | R | M | C | C | C | C |
| B | A229 | Alcedo atthis | | | p | | | | P | M | D | | | |
| B | A255 | Anthus campestris | | | r | | | | P | M | C | B | C | B |
| B | A091 | Aquila chrysaetos | | | p | 5 | 5 | p | | G | C | B | C | B |
| I | 1092 | Austropotamobius pallipes | | | p | | | | V | M | C | B | B | B |
| B | A215 | Bubo bubo | | | p | 9 | 9 | p | | M | C | B | C | B |
| B | A224 | Caprimulgus europaeus | | | r | | | | P | M | D | | | |
| B | A080 | Circaetus gallicus | | | r | 1 | 5 | p | | M | C | C | C | C |
| I | 1044 | Coenagrion mercuriale | | | p | | | | P | M | D | | | |
| A | 1195 | Discoglossus jeanneae | | | p | | | | P | P | D | | | |
| B | A379 | Emberiza hortulana | | | r | | | | P | M | C | C | C | C |
| I | 1065 | Euphydryas aurinia | | | p | | | | P | M | C | C | C | C |
| B | A103 | Falco peregrinus | | | p | 10 | 13 | p | | G | C | B | C | B |
| B | A245 | Galerida theklae | | | p | | | | P | M | D | | | |
| B | A078 | Gyps fulvus | | | p | 215 | 228 | p | | G | C | A | C | B |
| B | A092 | Hieraetus pennatus | | | r | 1 | 5 | p | | M | C | B | C | B |
| B | A338 | Lanius collurio | | | r | | | | P | M | C | B | C | B |
| I | 1083 | Lucanus cervus | | | p | | | | P | P | C | C | C | C |
| B | A246 | Lullula arborea | | | p | | | | P | M | D | | | |
| M | 1355 | Lutra lutra | | | p | | | | P | M | C | B | C | B |
| B | A073 | Milvus migrans | | | r | 1 | 5 | p | | P | C | B | C | B |
| M | 1310 | Miniopterus schreibersii | | | p | | | | R | M | D | | | |
| M | 1356 | Mustela lutreola | | | p | | | | R | G | C | B | B | B |
| M | 1321 | Myotis emarginatus | | | p | | | | P | M | C | C | C | C |
| B | A077 | Neophron percnopterus | | | r | 4 | 5 | p | | G | C | B | C | B |
| F | 6150 | Parachondrostroma toxostoma | | | p | | | | R | M | C | C | C | C |
| B | A346 | Pyrrhocorax pyrrhocorax | | | p | 150 | 185 | p | | M | C | B | C | B |
| M | 1305 | Rhinolophus euryale | | | p | | | | V | M | C | C | C | C |
| M | 1304 | Rhinolophus ferrumequinum | | | p | | | | P | M | C | C | C | C |
| M | 1303 | Rhinolophus hipposideros | | | p | | | | V | M | C | C | C | C |

| | | | | | | | | | | | | | | |
|---|------|-------------------------------|--|--|---|--|--|--|---|---|---|---|---|---|
| B | A302 | Sylvia undata | | | p | | | | C | M | C | B | C | B |
|---|------|-------------------------------|--|--|---|--|--|--|---|---|---|---|---|---|

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | Population in the site | | | | | Motivation | | | | | | | | | |
|---------|------|---------------------------------------|------------------------|----|------|-----|------|------------|---------------|---|------------------|---|----|---|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | | | | |
| | | | | | Min | Max | | | C | R | V | P | IV | V | A | B | C |
| A | 1191 | Alytes obstetricans | | | | | | P | X | | | | | | | | |
| A | 6284 | Epidalea calamita | | | | | | P | X | | | | | | | | |
| M | 1327 | Eptesicus serotinus | | | | | | P | X | | | | | | | | |
| M | 1363 | Felis silvestris | | | | | | P | X | | | | | | | | |
| A | 1203 | Hyla arborea | | | | | | P | X | | | | | | | | |
| M | 5365 | Hypsugo savii | | | | | | P | X | | | | | | | | |
| R | 5179 | Lacerta bilineata | | | | | | P | X | | | | | | | | |
| M | 1314 | Myotis daubentonii | | | | | | P | X | | | | | | | | |
| M | 1322 | Myotis nattereri | | | | | | P | X | | | | | | | | |
| P | 1996 | Narcissus triandrus | | | | | | P | X | | | | | | | | |
| M | 1312 | Nyctalus noctula | | | | | | P | X | | | | | | | | |
| I | 1057 | Parnassius apollo | | | | | | P | X | | | | | | | | |
| I | 6265 | Phengaris arion | | | | | | P | X | | | | | | | | |
| M | 1329 | Plecotus austriacus | | | | | | P | X | | | | | | | | |
| R | 1256 | Podarcis muralis | | | | | | P | X | | | | | | | | |
| P | 1900 | Spiranthes aestivalis | | | | | | P | X | | | | | | | | |
| M | 1333 | Tadarida teniotis | | | | | | P | X | | | | | | | | |
| A | 1174 | Triturus marmoratus | | | | | | P | X | | | | | | | | |

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access

enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

| Habitat class | % Cover |
|----------------------------|---------|
| N09 | 1.0 |
| N06 | 1.0 |
| N18 | 7.0 |
| N19 | 1.0 |
| N12 | 2.0 |
| N22 | 2.0 |
| N23 | 1.0 |
| N15 | 1.0 |
| N10 | 1.0 |
| N16 | 15.0 |
| N08 | 45.0 |
| N20 | 23.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Conjunto de roquedos que marcan la transición entre el Valle del Ebro y el Sistema Ibérico, en los que se encajan los ríos Leza, Iregua y Jubera. El sustrato lo forman conglomerados, calizas (generando alguna forma kárstica) y yesos, sobre el que aparecen extensas superficies de matorral, bosques de encinas y quejigos, y repoblaciones forestales con pino laricio (*Pinus nigra*) y pino silvestre (*Pinus sylvestris*).

4.2 Quality and importance

Este espacio presenta características de la montaña media ibérica, localizado en la zona de transición entre el Valle del Ebro y las sierras del Sistema Ibérico en los Valles del Iregua y Leza. Están representados en el espacio, 13 hábitat naturales de importancia comunitaria. En la zona destaca como grupo faunístico el de las aves rapaces rupícolas, como el águila real (*Aquila Crysaetos*) o el Alimoche (*Neophron percnopterus*), entre otras, que encuentran en los cortados y desfiladeros el hábitat favorable para la nidificación. Además, el buen estado de conservación de los ríos presentes permite la existencia de especies de mamíferos de gran interés, como el visón europeo (*Mustela lutreola*).

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| L | L09 | | b |
| M | C03.03 | | o |
| L | E01 | | b |
| M | G01 | | i |
| M | C01.04.01 | | b |
| L | D01.02 | | b |
| L | D02.01.01 | | b |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |
| L | A04.02 | | i |

| | | | |
|---|--------|--|---|
| L | J01.01 | | b |
| M | J02 | | b |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

| Type | [%] | |
|-----------------------|------------------|-------|
| Public | National/Federal | 0 |
| | State/Province | 0 |
| | Local/Municipal | 0 |
| | Any Public | 84.27 |
| Joint or Co-Ownership | 0 | |
| Private | 15.73 | |
| Unknown | 0 | |
| sum | 100 | |

4.5 Documentation

Anexos B y D del Informe sobre la aplicación del artículo 17 de la Directiva Hábitat, 2007. Dirección General de Medio Natural. Gobierno de La Rioja. Estudio inédito. Inventario de hábitats naturales en los Lugares de Importancia Comunitaria de La Rioja (2003) Dirección General de Medio Natural. Gobierno de La Rioja. Arizaleta, J.A., García Baquero, G., Medrano, L.M. (Estudio inédito). Proceso de inventariación y digitalización de los Hábitats Naturales de Interés Comunitario en los Lugares de Importancia Comunitaria de La Rioja. (Octubre 2004-julio 2007). Dirección General de Medio Natural. Gobierno de La Rioja. Revisión del Inventario de hábitats naturales en los Lugares de Importancia Comunitaria de La Rioja (julio 2007). Dirección General de Medio Natural. Gobierno de La Rioja. Elaboración de los Planes de Gestión de los espacios incluidos en la Red Natura 2000 en la Comunidad Autónoma de La Rioja (2010-2012). Dirección General de Medio Natural. Gobierno de La Rioja. TRAGSATEC.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| ES99 | 100.0 | | | | |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|--|------|-----------|
| ES99 | ZECIC "Peñas de Iregua, Leza y Jubera" | = | 100.0 |

designated at international level:

| Type | Site name | Type | Cover [%] |
|-----------|---|------|-----------|
| biosphere | "Valles del Jubera, Leza, Cidacos y Alhama" | * | 55.0 |

5.3 Site designation (optional)

Catálogo de espacios protegidos del Plan especial de Protección del Medio Ambiente Natural de La Rioja: * Grandes Espacios de Montaña Subatlántica: - Iregua- Alto Leza * Grandes Espacios de Montaña Mediterránea: - Leza-Cidacos * Riberas de Interés Recreativo y Paisajístico: - Rio Iregua (500 Ha.) * Parajes Singulares de Interés Geomorfológico: - Peñas de Viguera (2.170 Ha.) - Peñas de Clavijo (200 Ha.) - Peñas de Leza (1.930 Ha.) - Peñas de Jubera (650 Ha.) Declarado Espacio Natural Protegido según la Ley 4/2003 de Conservación de Espacios Naturales de La Rioja como "Zona de Especial Conservación de Importancia Comunitaria" (punto 5.1: 100% otras figuras de protección)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|--|
| Organisation: | Dirección General de Medio Natural. Gobierno de La Rioja |
| Address: | C/ Pradoviejo 62-bis. 26071 Logroño (La Rioja, España) |
| Email: | ignacio.esquisabel@larioja.org |

6.2 Management Plan(s):

An actual management plan does exist:

| |
|--|
| <input type="checkbox"/> Yes |
| <input checked="" type="checkbox"/> No, but in preparation |
| <input type="checkbox"/> No |

6.3 Conservation measures (optional)

Plan de Recuperación del Águila - azor perdicera en La Rioja, aprobado por el Decreto 19/1999, de 28 de mayo, y renovado por el Decreto 19/2009, de 27 de marzo, que considera al LIC como "Área de Interés Especial para el Águila-azor perdicera". Plan de Recuperación del Cangrejo autóctono de río en La Rioja, aprobado por el Decreto 47/2000, de 7 de septiembre, que considera dentro del LIC determinadas Áreas de Interés Especial para el cangrejo. Plan de Recuperación del Visón europeo en La Rioja, aprobado por el Decreto 14/2002, de 1 de marzo, que considera dentro del LIC diversas "Áreas de Interés Especial para el Visón europeo" Planes de Recuperación y Conservación de especies incluidas en el Catálogo Nacional de Especies Amenazadas (actualmente en elaboración).

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

Digitalizado inicialmente en sistema ARCINFO sobre mapa del Instituto Geográfico Nacional. Ajustada sobre Ortofoto a escala 1:5.000 correspondiente a vuelo efectuado el año 2000.